

## SAFETY DATA SHEET

## CoverGrip™ Coverslip Sealant

## SECTION 1: Identification

## 1.1. Product identifier

## Trade name

CoverGrip™ Coverslip Sealant

## Other names / Synonyms

23005, 15 mL

23005-1, 100 mL

## Product no.

23005, 23005-1

## Other means of identification

CAS No.: 5989-27-5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Use as laboratory reagent. For research use only. Not for food, drug, household, or cosmetic use.

Restricted to professional users.

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Biotium, Inc.**

46117 Landing Parkway

CA 94538 Fremont

USA

T: +1 510-265-1027

Fax: +1 510-265-1352

<http://www.biotium.com>

## E-mail

techsupport@biotium.com

## SDS date

2024-03-21

## SDS Version

1.0

## 1.4. Emergency telephone number

In an emergency call 911

Alberta / Northwestern Territories (PADIS): 1-800-332-1414

British Columbia (DPIC): 1-800-567-8911

Manitoba: 1-855-7POISON (1-855-776-4766)

New Brunswick: 911

Nova Scotia / Prince Edward Island (IWK): 1-800-565-8161

Ontario (OPC): 1-800-268-9017

Québec (CAPQ): 1-800-463-5060

Saskatchewan (PADIS): 1-866-454-1212

Yukon Territory: (867) 393-8700

Transport emergencies: Call CANUTEC at 1-888-CAN-UTEC (226-8832), 613-996-6666 or \*666 on a cellular phone (24 hours)

See also section 4 "First aid measures".

## SECTION 2: Hazard(s) identification

Classified according to WHMIS 2022.

## 2.1. Classification of the substance or mixture

Flam. Liq. 3; H226, Flammable liquid and vapour.  
 Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.  
 Skin Irrit. 2; H315, Causes skin irritation.  
 Skin Sens. 1B; H317, May cause an allergic skin reaction.  
 Skin Sens. 1; H317, May cause an allergic skin reaction.  
 Classified as Aquatic Acute 1 and Aquatic Chronic 3 under Regulation (EC) No 1272/2008[CLP].

## 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Flammable liquid and vapour. (H226)  
 May be fatal if swallowed and enters airways. (H304)  
 Causes skin irritation. (H315)  
 May cause an allergic skin reaction. (H317)  
 May cause an allergic skin reaction. (H317)

### Precautionary statement(s)

#### General

-

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
 Avoid breathing mist/vapour. (P261)  
 Wash hands and exposed skin thoroughly after handling. (P264)  
 Contaminated work clothing should not be allowed out of the workplace. (P272)  
 Wear eye protection/face protection/protective gloves. (P280)

#### Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)  
 Do NOT induce vomiting. (P331)  
 If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)  
 Take off contaminated clothing and wash it before reuse. (P362+P364)  
 In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)

#### Storage

Store in a well-ventilated place. Keep cool. (P403+P235)

#### Disposal

Dispose of contents/container in accordance with local regulation (P501)

### Hazardous substances

(R)-p-mentha-1,8-diene;d-limonene

### Additional labelling

Not applicable.

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
(R)-p-mentha-1,8-diene;d-limonene	CAS No.: 5989-27-5	85-95%	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317	

### 3.2. Mixtures

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

#### General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

#### Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 "Emergency telephone number".

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/lighting/ventilating] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

#### Recommended storage material

No specific requirements

#### Storage temperature

Keep container tightly closed in a dry and well-ventilated place.

Room Temperature. For Biotium products where the label indicates room temperature or RT, this implies storage in ambient conditions between 20°C and 30°C.

#### Incompatible materials

No specific requirements

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in any provincial list of substances with an occupational exposure limit.

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See

occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

Take off contaminated clothing and wash it before reuse.

#### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

#### Individual protection measures, such as personal protective equipment

##### Generally

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

##### Respiratory Equipment

Type	Class	Colour	Standards
No specific requirements			

##### Skin protection

Recommended	Type/Category	Standards
No specific requirements.	-	-

##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
<p>Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.</p>			



##### Eye protection

Type	Standards
<p>Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).</p>	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Yellow, Amber

**Odour**

Sweet

**Odour threshold (ppm)**

No data available

**pH**

No data available

**Density (g/cm<sup>3</sup>)**

No data available

**Relative density**

No data available

**Kinematic viscosity**

No data available

No data available

**Phase changes****Melting point (°C)**

No data available

**Boiling point (°C)**

No data available

**Vapour pressure**

No data available

**Relative vapour density**

No data available

**Decomposition temperature (°C)**

No data available

**Evaporation rate (n-butylacetate = 100)**

No data available

**Data on fire and explosion hazards****Flash point (°C)**

No data available

**Flammability (°C)**

The material is ignitable.

**Auto-ignition temperature (°C)**

No data available

**Explosion limits (% v/v)**

No data available

**Solubility****Solubility in water**

No data available

**n-octanol/water coefficient (LogKow)**

No data available

**Solubility in fat (g/L)**

No data available

**9.2. Other information****Evaporation rate (n-butylacetate = 100)**

No data available

**Other physical and chemical parameters**

No data available.

**Oxidizing properties**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

**10.3. Possibility of hazardous reactions**

None known.

#### 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.  
Heat, flames and sparks.

#### 10.5. Incompatible materials

No specific requirements  
Strong oxidizing agents

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 423
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	2000 mg/kg

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Species:	Rabbit
Route of exposure:	Inhalation
Test:	LD50
Result:	5000 mg/kg

##### Skin corrosion/irritation

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 404
Species:	Rabbit
Duration:	4 hours
Result:	Mild skin irritation

Causes skin irritation.

##### Serious eye damage/irritation

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 405
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)

##### Respiratory sensitisation

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 429
Species:	Mouse
Result:	Adverse effect observed (sensitising)

##### Skin sensitisation

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 429
Species:	Mouse
Result:	Adverse effect observed (sensitising)

##### Germ cell mutagenicity

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD Test Guideline 479
Species:	Chinese hamster ovary cells, Chinese Hamster Ovary (CHO)
Conclusion:	No adverse effect observed

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 473
Species:	Chinese hamster ovary cells
Conclusion:	No adverse effect observed

##### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Species:	Mouse, male/female
Test:	NOAEL
Result:	1650 mg/kg

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Species:	Mouse, male/female
Test:	LOAEL
Result:	3300 mg/kg

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Other information

(R)-p-mentha-1,8-diene;d-limonene has been classified by IARC as a group 3 carcinogen.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 202
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	0.307 mg/L

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 203
Species:	Fish, Pimephales promelas
Duration:	96 hours
Test:	LC50
Result:	0.72 mg/L

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	ErC50
Result:	0.32 mg/L

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 209
Species:	Bacteria
Test:	EC50
Result:	3.94 mg/L

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Test method:	OECD 211
Species:	Daphnia, Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	0.08 mg/L

### 12.2. Persistence and degradability

Product/substance	(R)-p-mentha-1,8-diene;d-limonene
Compartment:	Air
Duration:	28 days



Conforms to Hazardous Products Regulations (SOR/2022-272)

Result: 71.4 %  
 Conclusion: Readily biodegradable  
 Test: OECD 301 B

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### Waste treatment methods


None of the components are listed

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
TDG	UN2052	DIPENTENE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN2052	DIPENTENE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	Limited quantities: 5 L EmS: F-E S-E See below for additional information.
IATA	UN2052	DIPENTENE	Transport hazard class: 3 Label: 3 Classification code: F1 	III	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

### Additional information

TDG / See Schedule 1 for any information on special provisions, requirements, or warnings in connection with transport. See part 3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Canadian lists

DSL / NDSL

(R)-p-mentha-1,8-diene;d-limonene is listed

#### 15.4. Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### 15.5. Demands for specific education

No specific requirements.

#### Additional information

Not applicable.

#### 15.7. Chemical safety assessment

No

#### Sources

Hazardous Products Regulations (SOR/2022-272)

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

#### The full text of identified uses as mentioned in section 1

None known.

#### Abbreviations and acronyms

ANSI = American National Standards Institute

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

DSL = Domestic Substances List

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HHNOC = Health Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NDSL = Non-domestic substances list

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PHNOC = Physical Hazards Not Otherwise Classified

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit.

SOR = Statutory Orders and Regulations

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TDG = Transportation of Dangerous Goods

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

WHIMS = Workplace Hazardous Materials Information System

#### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022

The classification of the mixture in regard to physical hazards has been based on experimental data.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.

#### The safety data sheet is validated by

Eric Torres

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en